



ENDURANCE

Key Features:

- Lifetime limited hull warranty
- Twin engine offshore bracket with welded Bomar hatch. Setup is for 30" shaft engines
- Dodger roof line profile with windshield visor with gutter drains
- Aluminum self-bailing deck includes fish box & floor grip non-skid surface
- Full pilot house with enlarged v-berth, Alaskan bulkhead, level offset aisle way, heavy-duty sliding door, & cabin windows
- Boarding ladder with welded grab handle
- One color painted side stripe to waterline with clear coat
- Cabin exterior, aft deck, cabin interior, & cuddy trunk - Marble Stone Zolatone
- Three suspension seats with severe duty chassis at helm on boxes
- Electronics box, full over-head electronics box above helm from port to starboard
- Enclosed v-berth storage with locking doors, upholstered headliner & marine carpet. Includes: v-berth sleeper cushions
- Rear cowl storage
- Wash down pump
- Triple bank battery system (Dual HD cranking marine batteries & single house battery with selector switch and ACR)
- Bilge pump with auto-float

Life is better in a North River



Experience Luxury and Innovation

Experience the redefined boating experience of the Endurance. Enjoy a smoother ride, expanded cabin space, and larger fuel/fish hold options. With a 49° hull entry, 20° deadrise, .250 transom, and 28" interior side height, it sets a new standard of excellence.

ENDURANCE	3000EXL	3200EXL	3400EXL
Length Overall	34'7"	36'7"	38'7"
Centerline Length	30'	32'	34'
Cabin Length/Height	108"/78"	108"/78"	108"/78"
Cockpit Length/Width	121"/105"	145"/105"	169"/105"
Beam	9'10"	9'10"	9'10"
Bottom	.250	.250	.250
Sides	42" x .190	42" x .190	42" x .190
Fuel Capacity - Gallons	190	255	310
Dry Weight - lbs	7,100	7,700	8,200
Person Capacity	8	10	10
Person Wt. Capacity	1,480	1,850	1,850
Max Wt. Capacity on water (Persons, Motors & Gear) - lbs	8,964	9,705	10,300
Max Horsepower*	900	900	900

*Listed horsepower rating may require upgraded offshore bracket.

Boat on Trailer Dimensions - Average Values*

Highest Fixed Point	11'10"	11'10"	11'10"
Length Overall Coupler to Main Engine	40'	42'	44'

*Make of trailer will affect actual values

Endurance

- ☐ 30' x 9' 10" Endurance 3000EXL
- ☐ 32' x 9' 10" Endurance 3200EXL
- ☐ 34' x 9' 10" Endurance 3400EXL



2026MY

Fabrication

1026 - Endurance Aft station helm, console only	
1026A - Endurance Aft station helm, twin engine	
1045 - Plano storage inside console	
1050 - Beaching plate	
1101 - Toe kick, welded	
1103 - Crab pot protector (Starboard only)	
1200E - Bracket, offshore with 1/2" plate (Over 800 HP, twin engine)	
1220 - Bracket, welded swim deck kicker (Port)	
1270 - Brackets, welded down rigger (Pair at FWD stern rail)	
1300 - Inside Passage bulkhead with footrest riser & extended sleeper cushion. (Port only) Curtain replaces V-berth doors & bulkhead.	
1455 - Cabin aft overhang, extended to 36" center length	
1500 - Door, walk thru bow (Cuddy & V-berth eliminated)	
1530 - Door, side boarding (Port)	
1542 - Trim lip, aluminum at rear cowling	
1545 - Door, transom boarding (Starboard)	
1621A - Rear cowling storage box, single with shoe box lid	
1622A - Rear cowling storage box, two with shoe box lids	
1622C - Transom cowling storage: Two drop ins, welded at top of cowling, with shoe box lids. One large - centered & one smaller - portside.	
1760 - Fish boxes, side mounted floor w/ Forespar shut off ball valve (QTY 2)	
1761A - Fish boxes, side mounted floor w/ Whale Gulper pumps (QTY 2)	
1800 - Ladder, roof top (Port or Starboard)	
1820 - Fold out steps, roof top access (QTY 2)	
2121 - Rails, welded 6" full wrap stern rails (Fore or aft of transom cowling)	
2165C - Rod holder (QTY 3) welded to net holder (QTY 1) (Port and Starboard)	
2200 - Rub Rails, (1 Port & 1 Starboard)	
2200B - Rub rails, upper & lower (2 Port & 2 Starboard)	
2220A - Rod holders, welded to fore side of roof top rod holder assembly (QTY 6)	
2225 - Rose bud cleats, welded aft deck (QTY 4)	
2255 - Storage rack, roof top	

Fabrication

2285 - Insulate fish box sides and bottom (Per fish box option)	
2600 - Frontier davit, at AKBH thru aft cabin overhang Includes: fabrication of davit, enclosure and paint (Dealer supplied winch / hauler)	
2600B - Frontier davit, at AKBH thru aft cabin overhang Includes: fabrication of davit, enclosure and paint (Factory supplied Electro-Dyne winch / hauler)	
2610 - Dinghy Hoist / Davit with winch #EMD2000SSRP (Thru aft cabin overhang) NOTE: Aft station option required.	
GX3 - Lone Star GX3 Drum Anchor Winch - up to 30ft.	
GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft.	
GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY	
SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required)	
SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required)	
SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing.	
5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof overhang Port & Starboard	

Upholstery

580 - Seat, flip up with snap on cushions (Each) (Aft deck)	
625 - Swivels, installed on helm seats (Port & Starboard)	
710 - Seat, Ocean Master	

Paint Colors

4060 - Color matched Zolatone (Cabin, gunwales & aft deck)	
4115 - One color full side paint to chine	
4135 - Two color side paint to chine	
5089 - Alaskan Painted Trim Package - Lillith Zolatone w/flat clear (30-59)	



See Dealer For Additional Options



Outfitting

3002 - Anchor windlass, Lofrans LION 1000 1/4" horizontal gypsy	
3002A - Foot switches for Lofrans LION 1000 windlass	
3150A - Aerate, rear cowling storage box (Port)	
3175 - Heater / defroster, Wallas Viking (7' & 9' cabin)	
3180 - Heater / defroster, Wallas Spartan (11' cabin)	
3220 - Light, LED rear deck (QTY 1)	
3230 - Light, LED courtesy at aisle way (QTY 4)	
3240 - Switch panel, additional eight switch panel	
3382 - Dual USB-A/C combo charger (Each) (Portside)	
3400B - Pump, Whale Gulper pump for in-floor fish box (Twin engine)	
3431 - Alarm, high water	
3435 - Pump, bilge, second 2200 GPH bilge pump	
3441 - Refrigerator, drawer Isotherm Cruise 65 SS, 2.3 Cu Ft., AC/DC (Requires 24" cabinet)	
3443 - Refrigerator, drawer Isotherm Cruise 130 SS w/Freezer, 4.6 Cu Ft., AC/DC NOTE: Requires 24" cabinet and cannot have sink or stove above unit	
3444 - Refrigerator, drawer Isotherm Cruise 85 SS, 3.0 Cu. Ft., AC/DC (Requires 24" cabinet)	
3600 - Shore power for 3 batteries with 3 bank charging system	
3600 - Shore power for 3 batteries with 3 bank charging system	
3610 - Shore power and upgrade to 4 batteries with 4 bank charging system	
3630 - Shore power, Freedom XC Pro Marine 2000w Inverter w/ 4 batteries & 4 bank charging system	
3690 - Sink, large, w/ faucet & 10 gallon tank (Requires 24" cabinet)	
3691 - Sink, small, w/ faucet & 10 gallon tank (Requires 12" cabinet)	
3695 - Water tank, 18 gallon upgrade (Exch. 10 gallon tank)	
3720B - Spotlight, Go Light Stryker with remote	
3750 - Stove, Wallas Nordic Dt diesel with blower lid for cabin heat (Requires 24" cabinet)	

Outfitting

3751 - Diesel tank, 5 gal. aluminum tank w/ external fill & dash fuel gauge	
3770 - Toilet, flushing centered inside cuddy	
3820 - Water test, pre dealer delivery	
3825 - Windshield wiper washer system	
3830A - Fresh water system, wash down & 18 gallon tank	
3830B - Fresh water system with sink & faucet, wash down & 18 gallon tank	
3840 - Hot fresh water shower system, w/ S600EW heater, 30 gallon tank & drain sump	
3845 - Head drain, with Attwood sump pump (Requires stand up head)	
5006 - Bait tank plumbing and installation of Dealer supplied bait tank.	
5006-A - Bait tank plumbing - Provisions Only.	
5006-B - Bait tank wiring system to run continuously over night when at dock - Provisions Only.	
5093 - SEP60 IMTRA Bow Thruster - 12V Proportional (27'-31') - Includes: Joystick, GRP 27 Battery & 1 Bank charging system. (Requires shore power)	
5094 - SEP80 IMTRA Bow Thruster - 12V Proportional (30'-37') - Includes: Joystick, GRP 27 Battery & 1 Bank charging system. (Requires shore power)	
5097 - Yamaha Integration for the IMTRA/Sleipner Proportional Bow Thrusters - Note: Bow Thruster SEP60/SEP80 option and Yamaha I-DES rigging options must be selected.	
5099 - Seakeeper Ride 525 (27'-30')	
5100 - Seakeeper Ride 600 (31'-36')	
5103 - Seakeeper Ride Keypad with Ethernet Cable - Choose MFD Cable: (Garmin, Ray Marine, or Simrad)	
5107 - Cabinet, aft deck port AKBH with sink, faucet and storage below	
5108 - Sensar Marine - Boat Monitor with Bilge Sentry	

Steering

HS 2 - Hydraulic steering system, twin main engines	
HS YXC2 - Hydraulic steering system, Yamaha XC/XD twin engines	

See Dealer For Additional Options



Fuel and Fish Hold For 9' Cabin


200G-36FB30 - 200 Gallon fuel tank & 36" Fish hold (3000EXL with 9' cabin only)	
240G-24FB30 - 240 Gallon fuel tank & 24" Fish hold (3000EXL with 9' cabin only)	
340G-0FB30 - 340 Gallon fuel tank & DELETE Fish hold (3000EXL with 9' cabin only)	
275G-36FB32 - 275 Gallon fuel tank & 36" Fish hold (3200EXL with 9' cabin only)	
310G-24FB32 - 310 Gallon fuel tank & 24" Fish hold (3200EXL with 9' cabin only)	
415G-0FB32 - 415 Gallon fuel tank & DELETE Fish hold (3200EXL with 9' cabin only)	
340G-36FB34 - 340 Gallon fuel tank & 36" Fish hold (3400EXL with 9' cabin only)	
340G-24FB34 - 340 Gallon fuel tank & 24" Fish hold (3400EXL with 9' cabin only)	
415G-0FB34 - 415 Gallon fuel tank & DELETE Fish hold (3400EXL with 9' cabin only)	

Fuel and Fish Hold For 11' Cabin

120G-40FB30 - 120 Gallon fuel tank & 40" Fish hold (3000EXL with 11' cabin only)	
140G-36FB30 - 140 Gallon fuel tank & 36" Fish hold (3000EXL with 11' cabin only)	
170G-24FB30 - 170 Gallon fuel tank & 24" Fish hold (3000EXL with 11' cabin only)	
255G-0FB30 - 255 Gallon fuel tank & DELETE Fish hold (3000EXL with 11' cabin only)	
190G-40FB32 - 190 Gallon fuel tank & 40" Fish hold (3200EXL with 11' cabin only)	
200G-36FB32 - 200 Gallon fuel tank & 36" Fish hold (3200EXL with 11' cabin only)	
240G-24FB32 - 240 Gallon fuel tank & 24" Fish hold (3200EXL with 11' cabin only)	
340G-0FB32 - 340 Gallon fuel tank & DELETE Fish hold (3200EXL with 11' cabin only)	
255G-40FB34 - 255 Gallon fuel tank & 40" Fish hold (3400EXL with 11' cabin only)	
275G-36FB34 - 275 Gallon fuel tank & 36" Fish hold (3400EXL with 11' cabin only)	
310G-24FB34 - 310 Gallon fuel tank & 24" Fish hold (3400EXL with 11' cabin only)	
415G-0FB34 - 415 Gallon fuel tank & DELETE Fish hold (3400EXL with 11' cabin only)	










See Dealer For Additional Options



Cabin Layouts - Choose a Port & Starboard Layout Option

9' CABIN	
CL E20A - (1) Storage seat box (60") w/cushion and back rest (Aft of helm)	
CL E20G - (1) Galley cabinet (36") & (1) Stand up flushing toilet (24") Aisle facing	
9' CABIN PORT (Includes offset aisle way upgrade)	
CL E45I-P - (1) Dinette with fixed bench seats and back rests (24" Table & footrest)	
11' CABIN (Includes 11' length upgrade)	
CL E50G - (1) Galley cabinet (60") & (1) Stand up flushing toilet (24") Aisle facing	
CL E50H - (1) Galley cabinet (48") & (1) Stand up flushing toilet (36") Forward facing	
11' CABIN PORT (Includes 11' length & offset aisle way upgrade)	
CL E60I-P - (1) Dinette with fixed bench seats and back rests (48" Table & footrest)	


CL E20A

CL E20G

CL E45I-P

CL E50G

CL E50H

CL E60I-P


See Dealer For Additional Options

Trailer & Outboard Engine Options - Dealer to provide pricing for appropriate equipment found within the 2026MY Dealer Sales Book
Prices subject to change. Photos include items that may not be standard features or options. Options may not be available on all models.